



CANADIAN JOURNAL OF EXPLORATION GEOPHYSICS

VOL. 26, NOS. 1 & 2 DECEMBER 1990

A 9-component refraction seismic experiment,

D.C. Lawton 7

**Prestack shot gather migration and imaging a steam zone using a migrated
omega-x stack,**

C. Tsingas and F.R. Kanasewich 17

**Seafloor seismic velocity: results from an analysis of the water bottom multiples
recorded from the Arctic ice island experiment,**

X. Zeng and R.F. Mereu 33

Multiattribute processing of seismic data: application to dip displays,

B. Milkereit and C. Spencer 47

**Seismic modelling of porosity within the Jurassic aged carbonate bank, offshore
Nova Scotia,**

P.J. Harvey and D.J. MacDonald 54

AVO analysis and complex attributes for a Glauconitic gas sand bar,

Hai-Man Chung and D.C. Lawton 72

**High-resolution seismic survey to map paleochannels in an underground coal
mine,**

I.M. Gochioco and J.I. Kelly 87

**Effects of lithology, porosity and shaliness on *P*- and *S*-wave velocities from
sonic logs,**

S.I.M. Miller and R.R. Stewart 94

Effect of different pore fluids on seismic velocities in rocks,

Z. Wang, M.I. Batzle and A.M. Nur 104

Advertisers' index	ii	President's page	6
Corporate members	1	Articles	7
Journal staff & regulations	3	Authors' biographies	113
Instructions to authors	4	Professional directory	iii
CSEG Executive	5		

CANADIAN SOCIETY of EXPLORATION GEOPHYSICISTS

ISSN 0844-3432

CANJAY EXPLORATION (1975) LTD.



120, 240 or 360 Channel Recording
1MS or 2MS Options
Track, Wheel Mounted
or Portable Operations

Telephone: 276-7566

#101, 4528 - 6A Street N.E.
Calgary, Alberta T2E 4B3

HIGH QUALITY PRODUCTS MEANINGFUL SOLUTIONS

Consistently maintaining the integrity of your data is the key to high quality meaningful solutions. Solutions that come from experienced professionals, geophysically correct software and powerful hardware. Kelman offers a full range of seismic processing services to industry.

- AVO Processing
- High Accuracy 90° Depth Migration
- Surface Consistent Deconvolution
- Full 3-D Processing Capabilities
- DMO
- Full Prestack Migration
- Automatic High Resolution Weathering Calculation

Contact us for further information.



**KELMAN
SEISMIC
PROCESSING**

2nd flr., 635 - 6 Ave. S.W.
Calgary, Alberta T2P 0T5
Phone: 262-5220
Fax: 263-1518

CJEG ADVERTISERS' INDEX

Canjay Exploration (1975) Ltd.	i
Kelman Seismic Processing	i
Western Geophysical Canada	outside back cover

CORPORATE MEMBERSHIP

The CSEG Executive would like to express appreciation to the industry for its continued support to the Society in 1990. This appears in many forms — through donations, contributions to various activities, corporate memberships, as well as time members devote to various committees. Corporate membership has decreased from 113 in 1989 to 104 in 1990. Thank you to the following Corporate Members.

1990 CSEG CORPORATE MEMBERS

ACE EXPLOSIVES ETI LTD.
AIRBORNE GEOPHYSICAL SURVEYS LTD.
ALBERTA ENERGY COMPANY LTD.
AMERADA MINERALS CORP.
AMOCO CANADA PETROLEUM CO. LTD.
ANADARKO PETROLEUM OF CANADA LTD.
AQUA-TERRA CONSULTANTS LTD.
AUSTIN POWDER COMPANY LTD.

BHP PETROLEUM (CANADA) INC.
BP RESOURCES CANADA LTD.
BERTRAM DRILLING CORP.
BOW VALLEY INDUSTRIES LTD.
BUMPER DEVELOPMENT CORP. LTD.

C.G.G. GEOPHYSICS CANADA LTD.
C-I-L INC.
CABRE EXPLORATION LTD.
CANADA NORTHWEST ENERGY LTD.
CANADIAN HUNTER EXPLORATION LTD.
CANADIAN OCCIDENTAL PETROLEUM LTD.
CHAUVCO RESOURCES LTD.
CHEVRON CANADA RESOURCES LTD.
CO-ENERCO
CONOCO CANADA LTD.
CONSEIS DATA LTD.
CONWEST EXPLORATION CO. LTD.
COREXCANA LTD.

DATASPAN TECHNOLOGY LTD.
DIGITECH INFORMATION SERVICES LTD.
DYAD DATA SERVICES LTD.

ENCOR ENERGY CORPORATION INC.
ENERTEC GEOPHYSICAL SERVICES LTD.
ESSO RESOURCES CANADA LTD.

FORMAT RESOURCE CORP.
FRONTIER DATA LTD.

GALE HORIZON LTD.
GEO-PHYSI-CON CO. LTD.
GEO-TERREX LTD.
GEO-X SYSTEMS LTD.
GEOPHYSICAL MICROCOMPUTER APPS. INT. LTD.
GEOPHYSICAL SERVICES INC.

GEOSIGNAL EXPLORATION LTD.
GEOSOURCE INC.
GRANT GEOPHYSICAL LTD.
GULF CANADA RESOURCES LTD.

HAMILTON BROTHERS CANADIAN GAS CO. LTD.
HOME OIL COMPANY LTD.
HUSKY OIL OPERATIONS LTD.

I.T. & A. INVERSE THEORY & APPLICATIONS INC.
INPUT/OUTPUT CANADA INC.

J.M. HUBER CORP.

KARON RESOURCES INC.
KELMAN SEISMIC PROCESSING LTD.

LANDMARK GRAPHICS CANADA LTD.
LASMO NOVA SCOTIA LTD.
LORRNE CONSULTANTS

MANNVILLE OIL & GAS LTD.
MARK PRODUCTS/DIV. SHAW PIPE PROT. LTD.
MOBIL OIL CANADA LTD.
MORRISON PETROLEUMS LTD.
MURPHY OIL COMPANY LTD.

NICHOLSON COPY CENTRE LTD.
NORCANA RESOURCE SERVICES LTD.
NORCEN ENERGY RESOURCES LTD.
NORTH CANADIAN OILS LTD.
NOVALTA RESOURCES LTD.
NUMAC OIL & GAS LTD.

OCELOT INDUSTRIES LTD.
OYO GEOSPACE CANADA INC.

PANCANADIAN PETROLEUM LTD.
PEMBINA RESOURCES LTD.
PENNZOIL PETROLEUMS LTD.
PETRO-CANADA
PETROVENTURES RESOURCES LTD.
PLACER CEGO PETROLEUM
PLACID OIL COMPANY
PROBE DATA MARKET LTD.
PULSE

RENAISSANCE ENERGY LTD.
SASKATCHEWAN OIL & GAS CORP.
SCEPTRE RESOURCES LTD.
SEIS-PRO & CONSULTANTS LTD.
SHELL CANADA LTD.
SIGMA EXPLORATIONS (1978) LTD.
SONICS EXPLORATION LTD.
SOURCEX SEISMIC LTD.
STACS RECORD CENTRE/DIV. BELL & HOWELL LTD.
STAR TECHNOLOGIES LTD.
STATCOM LTD.
SUMMIT RESOURCES LTD.
SUNCOR INC. RESOURCES GROUP

TEXACO CANADA PETROLEUM INC.
TOTAL PETROLEUM CANADA LTD.
TRITON CANADA RESOURCES LTD.

UNION PACIFIC RESOURCES INC.
UNOCAL CANADA LTD.

VARIDATA SURVEYS LTD.
VECTOR TECHNOLOGY LTD.
VERITAS GEOPHYSICAL LTD.
VERITAS SEISMIC LTD.
VOYAGER ENERGY LTD.

WEGA-D GEOPHYSICAL LTD.
WESTERN EXPLOSIVES LTD.
WESTERN GEOPHYSICAL CANADA
WESTERN SEISMIC EXCHANGE LTD.



CANADIAN JOURNAL OF EXPLORATION GEOPHYSICS

VOL. 26, Nos. 1 & 2
December 1990

EDITOR

DON C. LAWTON, DEPT. OF GEOLOGY & GEOPHYSICS, UNIVERSITY OF CALGARY, CALGARY, ALBERTA T2N 1N4

BUSINESS EDITOR

TODD A. CHUCKRY, REQUEST SEISMIC SURVEYS LTD., 1609, 840 - 7TH AVE. S.W., CALGARY, ALBERTA T2P 3G2

PRODUCTION EDITOR

CECELIA FREY, 6228 TOUCHWOOD DRIVE N.W., CALGARY, ALBERTA T2K 3L9

ASSOCIATE EDITORS

Melvyn E. Best
Bedford Inst. of Oceanography
Atlantic Geoscience Centre
P.O. Box 1006
Dartmouth, Nova Scotia B2Y 4A2

Harry W. Dosso
Dept. of Physics
University of Victoria
Victoria, British Columbia
V8W 2Y2

Zoltan Hajnal
Dept. of Geological Sciences
University of Saskatchewan
Saskatoon, Saskatchewan
S7N 0W0

Edward G. Lalande
Home Oil Co. Ltd.
324 - 8th Avenue S.W.
Calgary, Alberta
T2P 2Z5

Woolf M. Moon
Dept. of Geological Sciences
University of Manitoba
Winnipeg, Manitoba
R3T 2N2

John W. Peirce
Petro-Canada Inc.
P.O. Box 2844
Calgary, Alberta
T2P 3E3

Brian H. Russell
Hampson-Russell Software
Services Ltd.
615 - 3rd Avenue S.W.
Calgary, Alberta T2P 0G6

Gordon F. West
Dept. of Physics
University of Toronto
Toronto, Ontario
M5S 1A7

A. Easton Wren
Commonwealth Geophysical
Development Co. Ltd.
6620 Crowchild Trail S.W.
Calgary, Alberta
T3E 5R8

©1990, Canadian Society of Exploration Geophysicists. World rights reserved. Authorization to photocopy items for personal use, or the internal or personal use of specific clients, is granted by the Canadian Society of Exploration Geophysicists, provided that the base fee of \$3.00 per copy is paid directly to the Copyright Clearance Center (CCC), Transactional Reporting Service (TRS), 27 Congress Street, Salem, MA 01970, U.S.A. For those organizations that have been granted a photocopy licence by CCC, a separate system of payment has been arranged. The fee code for users of the TRS is 0844-3432/88 \$3.00 + 0.00.

Submission of Manuscripts is invited in all areas of geophysics related to exploration. *Case histories are particularly welcome.* Manuscripts should be sent, in quadruplicate, directly to the Editor. Papers received by the Editor will be deemed property of the C.S.E.G., unless the release of the paper is granted in writing by the Editor. There are no page charges but additional costs of reproduction (e.g., for colour figures or foldouts) are charged to authors.

Instructions for preparation of the manuscript may be found in "Instructions to Authors" on page 4.

Short Notes and discussions of the papers published in the Journal are welcome.

Responsibility for all statements and scientific opinions made in the papers lies with their authors.

Only unpublished material should be submitted for publication. The authors are responsible for clearing their papers for publication in the Canadian Journal of Exploration Geophysics from any Society or Journal which may have prior publication rights to the manuscripts.

Reprints can be supplied at cost if ordered prior to publication.

Subscription to the Journal is included in the membership dues. Nonmembers and organizations should direct their enquiries to the Secretary, C.S.E.G., at the address given below or, by telephone, at (403) 262-0015.

Advertisements are welcome. Rates may be obtained by writing to the Business Editor.

Previous Issues of the Journal are still available. For prices contact the Secretary.

Claims for nonreceipt of Journal should be made within three months of publication.

Published by the Canadian Society of Exploration Geophysicists
501, 206 - 7th Avenue S.W.
Calgary, Alberta T2P 0W7

INSTRUCTIONS TO AUTHORS

Editorial standard.

The CANADIAN JOURNAL OF EXPLORATION GEOPHYSICS adopts as its editorial standard the "Instructions to Authors" of the Society of Exploration Geophysicists as published in GEOPHYSICS 52 (Jan. 1987), 1-10, and revised in GEOPHYSICS 53 (Jan. 1988), 1-7. Some augmentation to the SEG Instructions is included below and in cases of ambiguity or conflict the present CSEG Instructions will take precedence.

Submission of manuscript.

Submit an original and three copies, i.e., *four copies in all*, of each manuscript, complete with figures, tables, references, and figure and table captions. The figures and tables submitted with the original manuscript should be the originals described below in 4. However, it is acceptable to submit four sets of figure/table copies, the originals to be supplied upon acceptance of the paper. Manuscripts should be typed, double-spaced, on 21½ x 28 cm (8½ x 11 in) paper or on A4 (metric-format) paper.

Organization of manuscript.

1. Title page. It should give the title, followed by the names, affiliations and full addresses of all the authors. Make the title of your paper as brief as possible. The first word should be a significant one, suitable for both classifying and indexing the paper. If your paper was given orally at a meeting, include a footnote specifying the name of the organization that held the meeting, where held, and the date of presentation.
2. Abstract. An abstract is not an introduction or a list of contents but, rather, a summary of the essential qualities, including the principal conclusions, of the paper. (See the SEG Instructions.) Every technical paper must be accompanied by an abstract of approximately 150 to 300 words. Short notes do not require abstracts.
3. Headings. Normally three levels of headings should be used. First-order headings are centred and capitalized; second-order headings are positioned at the left-hand margin; third-order headings are indented, underlined or italicized, and followed by a dash. Numbering of sections is optional.
4. Figures, tables and formulae. These should be compatible with a 21½ x 28 cm page size, two-column format; i.e., they will be reproduced at either 9 cm (half-column) or 18 cm (full-column) width in vertical format or 23 cm wide in horizontal format.

— Figures should be drafted at approximately twice the published size. Any clean figures of good contrast and overall quality are acceptable. However, original artwork, glossy photographs or PMTs, of manuscript-page size, are preferred.

— All figures must be clearly marked on the back with the figure number and author's surname.

— Colour illustrations are encouraged where the use of colour is deemed essential. However, authors will be responsible for the additional costs of colour reproduction.

— Foldouts should be avoided if possible but are encouraged where necessary. Again, however, authors will be billed for any additional costs.

— Original materials will not be returned to authors unless specifically requested at the time of submission.

— Tables, formulae and equations can be difficult to typeset and proofread. They should be submitted in a form suitable for direct reproduction; for example, laser-printer output is ideal. In such cases authors should follow the Journal's conventions regarding italics, bold-face type, punctuation, etc.

— Captions for figures and tables should be provided on a separate page or pages of the manuscript; they should not be lettered on the original, nor should a title be designed within the frame of the figure or table. A figure (or table) and its caption should be a self-contained unit which, in its essentials, can be understood without reference to the text.

5. References. This area is the one with the greatest incidence of errors in most papers. Authors are urged to check citations in the text and entries in the References most carefully. The responsibility for correctness lies with the authors. Only references cited in the text should be listed under the heading REFERENCES. References *not* cited in the text, but deemed to be essential, should be grouped separately under the heading REFERENCES FOR GENERAL READING. For further details on the format of references, the SEG Instructions are adhered to with the following exceptions: commas are omitted before the word *and* in a string of authors' names; between journal name and volume number, and after words like *Bull.* and *Proc.* in the name of a publication.

Units and Spelling.

Physical quantities shall be expressed in SI units. Imperial or CGS equivalents may additionally be given. See R.E. Sheriff's "Encyclopedic Dictionary of Exploration Geophysics" (SEG, 2nd ed., 1984) for a comprehensive guide to SI units, forms of abbreviation, etc. Official Canadian SI spelling (e.g., metre) shall be used. In other cases Canadian spelling is preferred (e.g., centre, modelling, sulphur) although in many instances acceptable alternatives exist. Authors should, above all, be consistent in their spelling.

Review, Revision, Reprints.

Authors are strongly advised to have their manuscripts critically read by at least one reader familiar with the subject matter before it is submitted. All manuscripts submitted to the Journal undergo a standard peer-review process. Galley proofs will be forwarded to authors with a return date specified and with an order form for reprints. If there is more than one author, it must be clearly indicated to whom the proofs are to be sent. At the discretion of the Editor, minor changes (as opposed to corrections) may be accommodated at galley-proof stage. Major revisions at this or at a later stage will be charged to the author. Authors may order reprints in any multiple of fifty and will be billed for them at cost. They should be ordered at this time only; back orders will entail much higher costs.

Copyright.

The copyright of accepted and published material is reserved by the Canadian Society of Exploration Geophysicists.

**CANADIAN SOCIETY
OF
EXPLORATION GEOPHYSICISTS**

**EXECUTIVE COMMITTEE
FOR YEAR ENDING FEBRUARY 1991**

President:	Neil Rutherford
First Vice-President:	Brian Russell
Second Vice-President:	Gary Taylor
Secretary:	Florence Reynolds
Treasurer:	David Paterson
Business Manager:	Barry Korchinski
Journal Editor:	Don Lawton
Past President:	Al Ferworn
Recorder Editor:	Bob Runnalls

PRESIDENT'S PAGE

With each successful issue, the reputation of the Canadian Journal of Exploration Geophysics continues to grow. The SEG recently requested permission to republish several technical papers in *Geophysics*. Now the SEG plans to include Journal papers in the SEG Cumulative Index. This all represents steady progress in the recognition of our publication as a quality technical publication. This advancement comes because of the hard work of a dedicated Editorial Staff.

I know that Don Lawton has worked hard to make sure that every article published conforms to high technical standards. Each article is reviewed by no less than three editors before it is accepted for publication.

The Executive on behalf of all members wishes to thank Don Lawton and his entire staff for their *effort and dedication in achieving a quality publication.*

Neil Rutherford