



CANADIAN JOURNAL of EXPLORATION GEOPHYSICS

Volume 31, Nos. 1 & 2

December 1995

TECHNICAL PAPERS

- 1 **Three-dimensional seismic reflection studies of the Alberta basement**
E.R. Kanasewich, M.J.A. Burianyk, G.P. Dubuc, J.F. Lemieux and F. Kalantzis
- 11 **P-wave velocity and density estimates from the linear inversion of VSP data**
A.S. Tsemahman, M.J. Jones and F. Hron
- 18 **Migration from topography: improving the near-surface image**
S.H. Gray and K.J. Marfurt
- 25 **NMO distortion**
D. Bjerstedt
- 32 **Frequency characteristics of seismic reflections from thin beds**
Hai-Man Chung and D.C. Lawton
- 38 **Benefits of an omnidirectional electromagnetic system in conductivity mapping**
K. Duckworth, E.S. Krebs, E.O. Aydemir and M. Chung
- 47 **The influence of normalization on the performance of horizontal coplanar coil electromagnetic prospecting systems**
K. Duckworth and E.S. Krebs
- 54 **Complex resistivity response of a buried vertical cylindrical body in a homogeneous earth**
F.N. Trofimenkoff, J.W. Haslett, R.H. Johnston and A. Klassen

DEPARTMENTS

Journal Staff	i	Editorial Standards	iii
Journal Information	i	Technical Papers	1
Corporate Membership	ii	Authors' Biographies	63

CANADIAN SOCIETY of EXPLORATION GEOPHYSICISTS

ISSN 0844-3432

JOURNAL



CANADIAN JOURNAL of EXPLORATION GEOPHYSICS

Volume 31, Nos. 1 & 2

Published by the Canadian Society of Exploration Geophysicists
Suite 406, 206 - 7th Avenue S.W., Calgary, Alberta T2P 0W7

Editor: **Larry Lines**
Memorial University of Newfoundland
Department of Earth Sciences
St. John's, Newfoundland A1B 3X5

Advertising Sales: **Peter Snethlage**
Statcom Ltd.
250, 925 - 7th Avenue S.W.
Calgary, Alberta T2P 1A5

Production Editor: **Cecelia Frey**
6228 Touchwood Drive N.W.
Calgary, Alberta T2K 3L9

CSEG General Manager: **Heather Payne**

Associate Editors:

Melvyn Best
Pacific Geoscience Centre
Geological Survey of Canada
P.O. Box 6000
Sidney, British Columbia V8L 4B2

K. Coffin
Atlantic Geoscience Centre
Geological Survey of Canada
P.O. Box 1006
Dartmouth, Nova Scotia B2Y 4A2

D. Gendzwill
Department of Geological Sciences
University of Saskatchewan
Saskatoon, Saskatchewan S7N 0W0

R. Goh
Amoco Canada Petroleum Company
Limited
P.O. Box 200, Station M
Calgary, Alberta T2P 2H8

J.A. Hunter
Terrain Sciences Division
Geological Survey of Canada
401 Lebreton Street
Ottawa, Ontario K1A 0E8

G. Lodha
Atomic Energy Limited of Canada
Whiteshell Laboratory
Penawa, Manitoba R0E 1L0

Tai Ng
New Ground Resources Ltd.
620, 720 13th Avenue S.W.
Calgary, Alberta T2R 1M5

J. Peirce
Managing Partner, GEDCO
Suite 1500, 717 7th Avenue S.W.
Calgary, Alberta T2P 0Z3

F. Peterson
Canadian Occidental Petroleum Limited
635 8th Avenue S.W.
Calgary, Alberta T2P 3Z1

R.R. Stewart
Department of Geology and Geophysics
The University of Calgary
2500 University Drive N.W.
Calgary, Alberta T2N 1N4

Gary Taylor
Mobil Oil Canada
330 5th Avenue S.W.
P.O. Box 800
Calgary, Alberta T2P 2J7

CSEG Executive Committee

1995

President:	Barry Korchinski
First Vice-President:	Dan Hampson
Second Vice-President:	Allin Follinsbee
Secretary:	Howard Hepburn
Treasurer:	Susan Eaton
Business Manager:	David Komodi
Journal Editor:	Larry Lines
Past President:	Gary Taylor

© 1995 Canadian Society of Exploration Geophysicists. World rights reserved. Authorization to photocopy items for personal use, or the internal or personal use of specific clients, is granted by the CSEG, provided that the base fee of \$3.00 per copy is paid directly to the Copyright Clearance Centre (CCC), Transactional Reporting Service (TRS), 27 Congress Street, Salem, MA 01970, USA. For those organizations that have been granted a photocopy licence by CCC, a separate system of payment has been arranged. The fee code for users of the TRS is 0844-3432/88 \$3.00 + 0.00.

Reprints can be supplied at cost if ordered prior to publication.

Subscription to the *Journal* is included in the CSEG membership dues. Nonmembers and organizations should direct their enquiries to the General Manager, CSEG at the address given above or by phone at (403) 262-0015.

Advertising rates may be obtained by contacting the Advertising Sales Manager or the General Manager.

A limited number of previous issues of the *Journal* are available. Please contact the General Manager.

Claims for nonreceipt of the *Journal* should be made within three months of publication.

ISSN 0844-3432

CORPORATE MEMBERSHIP

APL Oil & Gas Ltd.
Ace Explosives ETI Ltd.
Amerada Hess Canada Ltd.
Amoco Canada Petroleum Co. Ltd.
Apoterra Seismic Processing Ltd.
Barrington Petroleum Ltd.
Baytex Energy Ltd.
Bertram Drilling Corp.
Bison Instruments, Inc.
C.G.G. Geophysics Canada
CS Resources Limited
Cabre Exploration Ltd.
Canada Northwest Energy Ltd.
Canadian Hunter Exploration
Canadian Occidental Petroleum Ltd.
Canex Exploration Services
Chancellor Energy Resources Inc.
Chauvco Resources Ltd.
Chevron Canada Resources
CogniSeis Development Inc.
Conoco Canada Limited
Corexcana Ltd.
Cray Research (Canada) Inc.
Crestar Energy
Czar Resources Ltd.
Diamond Resource Serv. Ltd.
Digicon Geophysical Corp.
Digitech Information Services
Dyad Data Services Ltd.
Dynamic Solutions Ltd.
Eagle Surveys
Eclipse Seismic Processors Inc.
Elan Energy Inc.
Enertec Geophysical Services Ltd.
Enron Oil Canada Ltd.
Exploration Seismic Services Ltd.
Explosives Limited
Foremost Industries Inc.
Gascan Resources Ltd.
GEDCO
Geometrics Inc.
Geophysical Micro Computer Apps.
Geo-Physi-Con
GeoQuest
Geo-Search Data Ltd.
GEOSOFT Inc.
Geo-X Systems Ltd.
Grad & Walker Energy
Green Mountain Geophysics, Inc.
Gulf Canada Corporation
Home Oil Company
Husky Oil Operations
ICI Canada Inc.
Impact Exploration Services, Inc.
Imperial Oil Resources Ltd.
Indel-Davis Ltd.
Input/Output, Inc.
Input/Output of Canada Inc.
Integra Geoservices Inc.
International Colin Energy Corp.
Inverness Petroleum Ltd.
Johnson & Herbert Const. (1988) Inc.
Kelman Seismic Processing Inc.
Kernel Technologies Ltd.
Kerr-McGee Canada Ltd.
Koch Exploration Canada Ltd.
Landmark Graphics Canada Ltd.
Landmark Graphics Corp.
Lormel Consultants
Lundberg & Sheppard
Macmillan Const. P.R. (1987) Ltd.
Mark Resources Inc.
Morgan Hydrocarbons Inc.
Morrison Petroleum Ltd.
Murphy Oil Company Ltd.
Nicholson Micro Centre Ltd.
Norcana Resource Services (1991) Ltd.
Northrock Resources Ltd.
OYO Geospace Canada Inc.
Ocelot Energy Inc.
Opseis Geophysical Systems
Paloma Petroleum Ltd.
PanCanadian Petroleum
Panther Software Corp.
Paragon Petroleum Corporation
Penn West Petroleum Ltd.
Pennzoil Canada, Inc.
Petro-Canada Inc.
Petrorep Resources Ltd.
PetroSearch
Photon Systems Ltd.
Pioneer Exploration Inc.
PowerProbe Geophysics Inc.
Prime Brokerage Consultants Ltd.
Pulse
Pulsonic Geophysical Ltd.
Questar Resources Corp.
Ranchmen's Resources Ltd.
Ranger Oil Limited
Renaissance Energy Ltd.
Response Seismic Surveys Ltd.
Richland Petroleum Corporation
Rigel Oil & Gas Ltd.
Samson Canada, Ltd.
Sceptre Resources Limited
Sensor Geophysical Ltd.
Serenpet Partnership
Shell Canada Limited
Sigma Explorations (1978) Ltd.
Solid State Geophysical Inc.
Statcom Ltd.
Summit Resources Limited
Sun Microsystems of Canada, Inc.
Suncor Inc. Resources Group
Syntron, Inc
Tescorp Seismic Products
Time Seismic Exchange Ltd.
Trace Explorations Ltd.
Trade Data Ltd.
Transwest Energy Inc.
UMC Resources Canada Ltd.
Unocal Canada Limited
Varidata Surveys Ltd.
Venture Seismic Ltd.
Veritas Geophysical
Veritas Seismic
Western Explosives
Western Geophysical
Western Seismic Exchange
World Geoscience

EDITORIAL STANDARDS

Submission of Manuscripts is invited in all areas of geophysics related to exploration. Case histories are particularly welcome. Manuscripts should be sent on disk with hard copy, directly to the editor. Papers received by the editor will be deemed property of the CSEG, unless the release of the paper is granted in writing by the editor. There are no page charges, but additional costs of reproduction (e.g., colour figures or fold-outs) are charged to authors.

Short Notes and discussions of the papers published in the *Journal* are welcome.

The *Canadian Journal of Exploration Geophysics* adopts as its editorial standard the "Instructions to Authors" of the Society of Exploration Geophysicists as published in *Geophysics* 52 (Jan. 1987), 1-10, and revised in *Geophysics* 53 (Jan. 1988), 1-7. Some augmentation to the SEG Instructions is included below and in cases of ambiguity or conflict the present CSEG Instructions will take precedence.

Submission of Manuscript

Material may be submitted on computer disk (3.5" floppy disk), complete with figures, tables, references, and figure and table captions. Provide three paper printouts of the document. Provide all original material that can not be produced in word processing software (e.g., figures) as per instruction described below in 4. The document must be created on standard software programs such as Microsoft Word® or WordPerfect®.

Or, submit an original document and three copies, i.e., four copies in all, of each manuscript, complete with figures, tables, references, and figure and table captions. The figures and tables submitted with the original manuscript should be the originals described below in 4. However, it is acceptable to submit four sets of figure/table copies, the originals to be supplied upon acceptance of the paper. Manuscripts should be typed, double-spaced, on 21.5 x 28 cm (8.5 x 11 in) paper or on A4 (metric-format) paper.

Organization of Manuscript

1. **Title page.** It should give the title, followed by the names, affiliations and full addresses of all the authors. Make the title of your paper as brief as possible. The first word should be a significant one, suitable for both classifying and indexing the paper. If your paper was given orally at a meeting, include a footnote specifying the name of the organization that held the meeting, where held, and the date of presentation.
2. **Abstract.** An abstract is not an introduction or a list of contents but rather a summary of the essential qualities, including the principal conclusions of the paper. (See the SEG Instructions.) Every technical paper must be accompanied by an abstract of approximately 150 to 300 words. Short notes do not require abstracts.
3. **Headings.** Normally three levels of headings should be used. First-order headings are centred and capitalized; second-order headings are positioned at the left-hand margin; third-order headings are indented, underlined or italicized, and followed by a dash. Numbering of sections is optional.
4. **Figures, tables and formulae.** These should be compatible with a 21.5 x 28 cm page size, two-column format; i.e., they will be reproduced at either 9 cm (half-column) or 18 cm (full-column) width in vertical format or 23 cm wide in horizontal format.
 - Figures should be drafted at approximately twice the published size. Any clean figures of good contrast and overall quality are acceptable. However, original artwork, glossy photographs or PMTs of manuscript-page size, are preferred.
 - All figures must be clearly marked on the back with the figure number and author's surname.

- Colour illustrations are encouraged where the use of colour is deemed essential. However, authors will be responsible for the additional costs of colour reproduction.
 - Foldouts should be avoided if possible but are encouraged where necessary. Again, however, authors will be billed for any additional costs.
 - Original materials will not be returned to authors unless specifically requested at the time of submission.
 - Tables, formulae and equations can be difficult to typeset and proof-read. They should be submitted in a form suitable for direct reproduction; for example, laser-printer output is ideal. In such cases authors should follow the *Journal's* conventions regarding italicization, bold-face type, punctuation, etc.
 - Captions for figures and tables should be provided on a separate page or pages of the manuscript; they should not be lettered on the original, nor should a title be designed within the frame of the figure or table. A figure (or table) and its caption should be a self-contained unit which, in its essentials, can be understood without reference to the text.
5. **References.** This area is the one with the greatest incidence of errors in most papers. Authors are urged to check citations in the text and entries in the References most carefully. The responsibility for correctness lies with the authors. Only references cited in the text should be listed under the heading REFERENCES. References not cited in the text, but deemed to be essential, should be grouped separately under the heading REFERENCES FOR GENERAL READING. For further details on the format of references, the SEG Instructions are adhered to with the following exceptions: commas are omitted before the word *and* in a string of authors' names; between journal name and volume number, and after words like *Bull.* and *Proc.* in the name of a publication.

Units and Spelling

Physical quantities shall be expressed in SI units. Imperial or CGS equivalents may additionally be given. See R.E. Sheriff's *Encyclopedic Dictionary of Exploration Geophysics* (SEG, 2nd ed., 1984) for a comprehensive guide to SI units, forms of abbreviation, etc. Official Canadian SI spelling (e.g., metre) shall be used. In other cases Canadian spelling is preferred (e.g., centre, modelling, sulphur) although in many instances acceptable alternatives exist. Authors should, above all, be consistent in their spelling.

Review, Revision and Reprints

Authors are strongly advised to have their manuscripts critically read by at least one reader familiar with the subject matter before it is submitted. All manuscripts submitted to the *Journal* undergo a standard peer-review process. Galley proofs will be forwarded to authors with a return date specified and with an order form for reprints. If there is more than one author, it must be clearly indicated to whom the proofs are to be sent. At the discretion of the Editor, minor changes (as opposed to corrections) may be accommodated at galley-proof stage. Major revisions at this or at a later stage will be charged to the author. Authors may order reprints in any multiple of fifty and will be billed for them at cost. They should be ordered at this time only; back orders will entail much higher costs.

Copyright

The copyright of accepted and published material is reserved by the Canadian Society of Exploration Geophysicists.