



# CANADIAN JOURNAL of EXPLORATION GEOPHYSICS

Volume 32, No. 2

December 1996

## TECHNICAL PAPERS

- 77 **Seismic monitoring and modeling of an enhanced oil recovery project at Cold Lake, Alberta, Canada**  
*F. Kalantzis, A. Vafidis, E.R. Kanasewich and A. Kostyukevich*
- 90 **A coupled method of migration and tomography to estimate subsurface velocity structure**  
*Eiichi Asakawa*
- 104 **Migration of a multioffset VSP: A case study in NE British Columbia**  
*Michael A. Slawinski and John M. Parkin*
- 113 **VSP detection of interbed multiples using inside-outside corridor stacking**  
*Andrew Burton and Larry Lines*
- 121 **High performance computation (teraflops) for seismic processing**  
*R. Phillip Bording*
- 130 **3-D prestack phase shift migration of shot records**  
*Mark Ng*
- 139 **Shear-wave interval velocity from P-S stacking velocities**  
*Robert R. Stewart and Robert J. Ferguson*


## DEPARTMENTS

Journal Staff	i	Editorial Standards	iii
Journal Information	i	Technical Papers	77
Corporate Membership	ii	Authors' Biographies	143

CANADIAN SOCIETY of EXPLORATION GEOPHYSICISTS

ISSN 0844-3432

JOURNAL



# CANADIAN JOURNAL of EXPLORATION GEOPHYSICS

Volume 32, No. 2

Published by the Canadian Society of Exploration Geophysicists  
905, 510 - 5th Street S.W., Calgary, Alberta T2P 3S2

**Editor:** **Larry Lines**  
Memorial University of Newfoundland  
Department of Earth Sciences  
St. John's, Newfoundland A1B 3X5

**Advertising Sales:** **Penny Colton**  
Veritas Seismic  
2200, 715 - 5th Avenue S.W.  
Calgary, Alberta T2P 5A2

**CSEG General Manager:** **Heather Payne**

## Associate Editors:

**Melvyn Best**  
Pacific Geoscience Centre  
Geological Survey of Canada  
P.O. Box 6000  
Sidney, British Columbia V8L 4B2

**K. Coffin**  
Atlantic Geoscience Centre  
Geological Survey of Canada  
P.O. Box 1006  
Dartmouth, Nova Scotia B2Y 4A2

**D. Gendzwil**  
Department of Geological Sciences  
University of Saskatchewan  
Saskatoon, Saskatchewan S7N 0W0

**R. Goh**  
Amoco Canada Petroleum Company  
Limited  
P.O. Box 200, Station M  
Calgary, Alberta T2P 2H8

**J.A. Hunter**  
Terrain Sciences Division  
Geological Survey of Canada  
401 Lebreton Street  
Ottawa, Ontario K1A 0E8

**G. Lodha**  
Atomic Energy Limited of Canada  
Whiteshell Laboratory  
Penawa, Manitoba R0E 1L0

**Tai Ng**  
New Ground Resources Ltd.  
620, 720 13th Avenue S.W.  
Calgary, Alberta T2R 1M5

**J. Peirce**  
Managing Partner, GEDCO  
Suite 1500, 717 7th Avenue S.W.  
Calgary, Alberta T2P 0Z3

**F. Peterson**  
Canadian Occidental Petroleum Limited  
635 8th Avenue S.W.  
Calgary, Alberta T2P 3Z1

**R.R. Stewart**  
Department of Geology and Geophysics  
The University of Calgary  
2500 University Drive N.W.  
Calgary, Alberta T2N 1N4

**Gary Taylor**  
Mobil Oil Canada  
330 5th Avenue S.W.  
P.O. Box 800  
Calgary, Alberta T2P 2J7

## CSEG Executive Committee

1996

<b>President:</b>	Dan Hampson
<b>First Vice-President:</b>	Rob Stewart
<b>Second Vice-President:</b>	Peter Cary
<b>Secretary:</b>	Michael Kostashuk
<b>Treasurer:</b>	Cathy Martin
<b>Business Manager:</b>	Kathleen Dorey
<b>Journal Editor:</b>	Larry Lines
<b>Past President:</b>	Barry Korchinski

© 1996 Canadian Society of Exploration Geophysicists. World rights reserved.  
Authorization to photocopy items for personal use, or the internal or personal use of specific clients, is granted by the CSEG, provided that the base fee of \$3.00 per copy is paid directly to the Copyright Clearance Centre (CCC), Transactional Reporting Service (TRS), 27 Congress Street, Salem, MA 01970, USA. For those organizations that have been granted a photocopy licence by CCC, a separate system of payment has been arranged. The fee code for users of the TRS is 0844-3432/88 \$3.00 + 0.00.

**Reprints** can be supplied at cost if ordered prior to publication

**Subscription** to the *Journal* is included in the CSEG membership dues. Nonmembers and organizations should direct their enquiries to the General Manager, CSEG at the address given above or by phone at (403) 262-0015

**Advertising rates** may be obtained by contacting the Advertising Sales Manager or the General Manager.

**A limited number of previous issues** of the *Journal* are available. Please contact the General Manager.

**Claims** for nonreceipt of the *Journal* should be made within three months of publication

## CORPORATE MEMBERSHIP

APL Oil & Gas Ltd.  
Ace Explosives ETI Ltd.  
Amerada Hess Canada Ltd.  
Amoco Canada Petroleum Co. Ltd.  
Apoterra Seismic Processing Ltd.  
Barrington Petroleum Ltd.  
Baytex Energy Ltd.  
Bertram Drilling Corp.  
Bison Instruments, Inc.  
C.G.G. Geophysics Canada  
CS Resources Limited  
Cabre Exploration Ltd.  
Canada Northwest Energy Ltd.  
Canadian Hunter Exploration  
Canadian Occidental Petroleum Ltd.  
Canex Exploration Services  
Chancellor Energy Resources Inc.  
Chauvco Resources Ltd.  
Chevron Canada Resources  
CogniSeis Development Inc.  
Conoco Canada Limited  
Corexcana Ltd.  
Cray Research (Canada) Inc.  
Crestar Energy  
Czar Resources Ltd.  
Diamond Resource Serv. Ltd.  
Digicon Geophysical Corp.  
Digitech Information Services  
Dyad Data Services Ltd.  
Dynamic Solutions Ltd.  
Eagle Surveys  
Eclipse Seismic Processors Inc.  
Elan Energy Inc.  
Enertec Geophysical Services Ltd.  
Enron Oil Canada Ltd.  
Exploration Seismic Services Ltd.  
Explosives Limited  
Foremost Industries Inc.  
Gascan Resources Ltd.  
GEDCO  
Geometrics Inc.  
Geophysical Micro Computer Apps.  
Geo-Physi-Con  
GeoQuest  
Geo-Search Data Ltd.  
GEOSOFT Inc.  
Geo-X Systems Ltd.  
Grad & Walker Energy  
Green Mountain Geophysics, Inc.  
Gulf Canada Corporation  
Home Oil Company  
Husky Oil Operations  
ICI Canada Inc.  
Impact Exploration Services, Inc.  
Imperial Oil Resources Ltd.  
Indel-Davis Ltd.  
Input/Output, Inc.  
Input/Output of Canada Inc.  
Integra Geoservices Inc.  
International Colin Energy Corp.  
Inverness Petroleum Ltd.  
Johnson & Herbert Const. (1988) Inc.  
Kelman Seismic Processing Inc.  
Kernel Technologies Ltd.  
Kerr-McGee Canada Ltd.  
Koch Exploration Canada Ltd.  
Landmark Graphics Canada Ltd.  
Landmark Graphics Corp.  
Lornel Consultants  
Lundberg & Sheppard  
Macmillan Const. P.R. (1987) Ltd.  
Mark Products  
Mark Resources Inc.  
Morgan Hydrocarbons Inc.  
Morrison Petroleums Ltd.  
Murphy Oil Company Ltd.  
Nicholson Micro Centre Ltd.  
Norcana Resource Services (1991) Ltd.  
Northrock Resources Ltd.  
OYO Geospace Canada Inc.  
Ocelot Energy Inc.  
Opseis Geophysical Systems  
Paloma Petroleum Ltd.  
PanCanadian Petroleum  
Panther Software Corp.  
Paradigm Geophysical  
Paragon Petroleum Corporation  
Penn West Petroleum Ltd.  
Pennzoil Canada, Inc.  
Petro-Canada Inc.  
Petrorep Resources Ltd.  
PetroSearch  
Photon Systems Ltd.  
Pioneer Exploration Inc.  
PowerProbe Geophysics Inc.  
Prime Brokerage Consultants Ltd.  
Pulse  
Pulsonic Geophysical Ltd.  
Questar Resources Corp.  
Ranchmen's Resources Ltd.  
Ranger Oil Limited  
Renaissance Energy Ltd.  
Response Seismic Surveys Ltd.  
Richland Petroleum Corporation  
Rigel Oil & Gas Ltd.  
Samson Canada, Ltd.  
Sceptre Resources Limited  
Sensor Geophysical Ltd.  
Serenpet Partnership  
Shell Canada Limited  
Sigma Explorations (1978) Ltd.  
Solid State Geophysical Inc.  
Statcom Ltd.  
Summit Resources Limited  
Sun Microsystems of Canada, Inc.  
Suncor Inc. Resources Group  
Syntron, Inc  
Tescorp Seismic Products  
Time Seismic Exchange Ltd.  
Trace Explorations Ltd.  
Trade Data Ltd.  
Transwest Energy Inc.  
UMC Resources Canada Ltd.  
Unocal Canada Limited  
Varidata Surveys Ltd.  
Venture Seismic Ltd.  
Veritas Geophysical  
Veritas Seismic  
Western Explosives  
Western Geophysical  
Western Seismic Exchange  
World Geoscience

# EDITORIAL STANDARDS

Submission of Manuscripts is invited in all areas of geophysics related to exploration. Case histories are particularly welcome. Manuscripts should be sent on disk with hard copy, directly to the editor. Papers received by the editor will be deemed property of the CSEG, unless the release of the paper is granted in writing by the editor. There are no page charges, but additional costs of reproduction (e.g., colour figures or fold-outs) are charged to authors.

Short Notes and discussions of the papers published in the *Journal* are welcome.

The *Canadian Journal of Exploration Geophysics* adopts as its editorial standard the "Instructions to Authors" of the Society of Exploration Geophysicists as published in *Geophysics* 52 (Jan. 1987), 1-10, and revised in *Geophysics* 53 (Jan. 1988), 1-7. Some augmentation to the SEG Instructions is included below and in cases of ambiguity or conflict the present CSEG Instructions will take precedence.

## Submission of Manuscript

Material may be submitted on computer disk (3.5" floppy disk), complete with figures, tables, references, and figure and table captions. Provide three paper printouts of the document. Provide all original material that can not be produced in word processing software (e.g., figures) as per instruction described below in 4. The document must be created on standard software programs such as Microsoft Word<sup>®</sup> or WordPerfect<sup>®</sup>.

Or, submit an original document and three copies, i.e., four copies in all, of each manuscript, complete with figures, tables, references, and figure and table captions. The figures and tables submitted with the original manuscript should be the originals described below in 4. However, it is acceptable to submit four sets of figure/table copies, the originals to be supplied upon acceptance of the paper. Manuscripts should be typed, double-spaced, on 21.5 x 28 cm (8.5 x 11 in) paper or on A4 (metric-format) paper.

## Organization of Manuscript

1. **Title page.** It should give the title, followed by the names, affiliations and full addresses of all the authors. Make the title of your paper as brief as possible. The first word should be a significant one, suitable for both classifying and indexing the paper. If your paper was given orally at a meeting, include a footnote specifying the name of the organization that held the meeting, where held, and the date of presentation.
2. **Abstract.** An abstract is not an introduction or a list of contents but rather a summary of the essential qualities, including the principal conclusions of the paper. (See the SEG Instructions.) Every technical paper must be accompanied by an abstract of approximately 150 to 300 words. Short notes do not require abstracts.
3. **Headings.** Normally three levels of headings should be used. First-order headings are centred and capitalized; second-order headings are positioned at the left-hand margin; third-order headings are indented, underlined or italicized, and followed by a dash. Numbering of sections is optional.
4. **Figures, tables and formulae.** These should be compatible with a 21.5 x 28 cm page size, two-column format; i.e., they will be reproduced at either 9 cm (half-column) or 18 cm (full-column) width in vertical format or 23 cm wide in horizontal format.
  - Figures should be drafted at approximately twice the published size. Any clean figures of good contrast and overall quality are acceptable. However, original artwork, glossy photographs or PMTs of manuscript-page size, are preferred.
  - All figures must be clearly marked on the back with the figure number and author's surname.

- Colour illustrations are encouraged where the use of colour is deemed essential. However, authors will be responsible for the additional costs of colour reproduction.
  - Foldouts should be avoided if possible but are encouraged where necessary. Again, however, authors will be billed for any additional costs.
  - Original materials will not be returned to authors unless specifically requested at the time of submission.
  - Tables, formulae and equations can be difficult to typeset and proofread. They should be submitted in a form suitable for direct reproduction; for example, laser-printer output is ideal. In such cases authors should follow the *Journal's* conventions regarding italicization, bold-face type, punctuation, etc.
  - Captions for figures and tables should be provided on a separate page or pages of the manuscript; they should not be lettered on the original, nor should a title be designed within the frame of the figure or table. A figure (or table) and its caption should be a self-contained unit which, in its essentials, can be understood without reference to the text.
5. **References.** This area is the one with the greatest incidence of errors in most papers. Authors are urged to check citations in the text and entries in the References most carefully. The responsibility for correctness lies with the authors. Only references cited in the text should be listed under the heading REFERENCES. References not cited in the text, but deemed to be essential, should be grouped separately under the heading REFERENCES FOR GENERAL READING. For further details on the format of references, the SEG Instructions are adhered to with the following exceptions: commas are omitted before the word *and* in a string of authors' names; between journal name and volume number, and after words like *Bull.* and *Proc.* in the name of a publication.

## Units and Spelling

Physical quantities shall be expressed in SI units. Imperial or CGS equivalents may additionally be given. See R.E. Sheriff's *Encyclopedic Dictionary of Exploration Geophysics* (SEG, 2nd ed., 1984) for a comprehensive guide to SI units, forms of abbreviation, etc. Official Canadian SI spelling (e.g., metre) shall be used. In other cases Canadian spelling is preferred (e.g., centre, modelling, sulphur) although in many instances acceptable alternatives exist. Authors should, above all, be consistent in their spelling.

## Review, Revision and Reprints

Authors are strongly advised to have their manuscripts critically read by at least one reader familiar with the subject matter before it is submitted. All manuscripts submitted to the *Journal* undergo a standard peer-review process. Galley proofs will be forwarded to authors with a return date specified and with an order form for reprints. If there is more than one author, it must be clearly indicated to whom the proofs are to be sent. At the discretion of the Editor, minor changes (as opposed to corrections) may be accommodated at galley-proof stage. Major revisions at this or at a later stage will be charged to the author. Authors may order reprints in any multiple of fifty and will be billed for them at cost. They should be ordered at this time only; back orders will entail much higher costs.

## Copyright

The copyright of accepted and published material is reserved by the Canadian Society of Exploration Geophysicists.